		LEGRIA HF R66
VIDEO SYSTEM		
	Recording Formats	AVCHD/MP4 Simultaneous recording possible
	Recording Medium	8GB built-in flash memory SDXC/SDHC/SD memory card
	Max Recording Time*	Relay recording possible Variable total, depending on memory card size5 Internal memory: AVCHD mode, 3hrs7
		MP4 mode: 4hrs 20mins 64GB SDXC card (not supplied): AVCHD
		mode, 24hrs 30mins7
		MP4 Mode, 34hrs 45mins
SENSOR		
	Туре	1/4.85" CMOS
	Total pixels	3.28 megapixel
	Effective Pixels: Movie	2.07 megapixels ^{3, 4}
	Effective Pixels: Still	2.07 megapixels (16:9)
LENS	Filter	Bayer pattern filter
ELI-10	Advanced Zoom	57x
	Optical Zoom	32x
	Digital Zoom	1140x
	Focal length	2.8mm - 89.6mm
	35mm Equivalent Focal Length	32.5mm - 1853mm / (38.5mm-1232mm:
		Advanced zoom off)
	Wide Attachement lens included	
	Maximum aperture	f1.8 - f4.5 10mm
	Minimum focusing distance Image Stabilizer	Optical Image Stabiliser:
	image stabilizer	Intelligent IS with Advanced Dynamic Mode
IMAGE PROCESSOR		DIGIO DIVI
CORFEL	Image Processor Face Detection Technology	DIGIC DV 4 YES
SCREEN	Screen size	7.5cm (3.0") Touchscreen LCD, 100% view
	Pixels	230,000 dots
	Touchscreen	YES - capacitive type touch panel
	Manual adjustment	Brightness, backlight
WI-FI FUNCTION		
	NFC Remote Control & Streaming	YES YES (monitor in/out of home)8, Supports optional Pan Table CT-V1 accessory
	Movie Uploader	YES9
	Playback via Browser	YES10
	Media Server	YES - device must be DLNA supported
RARY MODE	Web Service	YES
BABY MODE	Baby Mode	YES - register up to 3 children
EXTERNAL HDD STORAGE	DUDY MOUG	120 TOGISTOLOP TO 3 CHINGIETT
	Direct storage to external HDD	YES
MINIMUM ILLUMINATION		
	Minimum Lux.	4 lux
	Night Mode	Low Light (0.4 lux)
FOCUS	Auto Gain Control limit adjustmen	NO
1000	Auto/Manual	YES / YES
	Control	AUTO: Face Detection AF / TV AF MANUAL: Touchscreen LCD, Touch Focus
	Manual Focus Assist	YES (Magnification)
CREATIVE FEATURES		
	Slow motion recording Fast motion recording	1/2 speed 2x, 4x, 10x, 20x, x60, x120, x1200
1	Cinema-Look Filters	YES
	Touch Decoration	YES

AE MODE		
	Smart AUTO	YES (38 scenes)
Ì	Program AE	AUTO;
		M mode: P,SCN (Portrait, Sports, Snow,
		Beach, Sunset, Night, Low Light, Spotlight,
		Fireworks);
		Cinema mode: P
		Baby Mode
BACKLIGHT COMPENSATION		VFC /t
WHITE BALANCE	Backlight Compensation	YES (automatic or user control)
WITHE BY LET WAS E	Туре	ΠL
	Auto	YES
	Set/Preset	YES: Daylight,Tungsten
SHUTTER SPEED	301,110301	120. Bayilgi ii, rongsion
OHOHEK OF EED	Maximum	1/2000th sec.
	Slow	1/2 sec.
DIGITAL EFFECT		,, = 555.
	Fade	Auto Fade, Wipe
	Effect	NO
IMAGE QUALITY ADJUSTM	ENT	
	Image Effects	NO
	Custom Functions	NO
CUSTOM CONTROL		
	Custom Control	YES (Touch panel operations)
STILL IMAGE		
	Capture image size	1920 x 1080 (not Cinema mode)
	Continuous shooting mode	NO
	Auto Exposure Bracketing	NO
	Simultaneous Photo Recording	YES
	Photo Button	Touchscreen LCD
SELF TIMER		
	Self timer	10 sec
REC. REVIEW/REC.SEARCH	4	
REC. REVIEW/REC.SEARCH		10 sec NO/NO
	H REC. review/REC. search	NO/NO
REC. REVIEW/REC.SEARCH	4	NO/NO Four AVCHD recording quality modes.5,6
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps;
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps,
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps,
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps,
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps
REC. REVIEW/REC.SEARCH	H REC. review/REC. search	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps,
REC. REVIEW/REC.SEARCH	H REC. review/REC. search Recording mode	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES
REC. REVIEW/REC.SEARCH RECORDING MODE	H REC. review/REC. search Recording mode Video Snapshot	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO NO YES
REC. REVIEW/REC.SEARCH RECORDING MODE	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date Multi Media Card	Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps YES YES NO NO YES
REC. REVIEW/REC.SEARCH RECORDING MODE	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date Multi Media Card Secure Digital Card	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO NO YES NO SD / SDHC / SDXC
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH MEMORY CARD	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date Multi Media Card Secure Digital Card Movie Recording	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO NO YES NO SD / SDHC / SDXC YES
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH MEMORY CARD	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date Multi Media Card Secure Digital Card	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO NO YES NO SD / SDHC / SDXC YES MOVIE: Yes (internal memory to card)
REC. REVIEW/REC.SEARCH RECORDING MODE SEARCH MEMORY CARD	H REC. review/REC. search Recording mode Video Snapshot Pre REC Dual Shot Still image Date Multi Media Card Secure Digital Card Movie Recording	NO/NO Four AVCHD recording quality modes.5,6 50P: 1920 x 1080, 28Mbps; MXP 50i/PF25: 1920x1080, 24Mbps; FXP 50i/PF25: 1920x1080, 17Mbps; LP 50i/PF25: 1440x1080, 5Mbps Four MP4 quality recording modes5,6 50p: 1920 x 1080, 35Mbps; 25p: 1920 x 1080, 24Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1920 x 1080, 17Mbps, 25p: 1280 x 720, 4Mbps YES YES NO NO YES NO SD / SDHC / SDXC YES

AUDIO		
	System	Dolby Digital 2ch (AC-3 2ch)
	Audio Scene Select	YES
	Zoom Microphone	NO
	Manual Rec. level control	YES
TERMINAL		
	Headphone	YES
	Microphone	NO
	USB	YES (Mini-AB, USB 2.0 Hi-Speed, output only)
	AV	YES (output only)
	Component	NO
	HDMI	YES (HDMITM Mini Connector: output only
	Built-in charger	YES
SMART FEATURES		
	Framing Assist	YES
	Quick Start	YES (using LCD screen)
	File Lock	YES
BATTERY PACK		
	Туре	Lithium Ion
	Intelligent Battery System	YES
	Battery included in the kit	BP-718
	Max recording time (included ba	2h 10mins
	Long life Battery	BP-727
	Longer recording time**	3hrs 15mins
DIMENSIONS		
	WxHxD	53 x 58 x 116mm
	Weight	235g
· · · · · · · · · · · · · · · · · · ·	·	

Disclaimers

- 1(*): 4Mbps MP4 recording mode
- 2(**): Normal LCD brightness and optional long life BP
- 3: Advanced Zoom ON, 16:9 recording mode, wide end
- 4. Image Stabiliser mode set to Standard or Off
- 5. For both AVCHD and MP4, class 4 or higher-speed memory cards are recommended
- 6. Variable bit rate used in all recording modes
- 7. When AVCHD/MP4 recording has continued for 12 hours, it will automatically stop and then start again automatically
- 8. Requires installation of CameraAccess Plus app. Supported OS: iOS6,iOS7, Android 2.3/ 4.0 / 4.1 /4.2/4.3/4.4 'Out of home' monitoring function requires UPnP WLAN router and global IP address. Functionality Not guaranteed on all devices
- 9. Requires installation of MovieUploader app. Supported OS: iOS5,iOS6. Functionality not guaranteed on all devices
- 10. Supported OS: iOS5,iOS6,iOS7 Android 2.3/3.2/4.0/4.1/4.2. Web browser must support HTML5.

Specifications are subject to change without notice