

Model	PIXMA MX925
GENERAL SPECIFICATIONS	
Available Functions	Print, Copy, Scan & Fax with Wi-Fi & Ethernet connectivity, mobile printing, AirPrint support, printing via internet, direct printing with 7.5cm TFT display, 2-sided printing, photo-lab quality photos, direct disc print, scan to cloud & 2-sided 35-page ADF.
What's in the box	All-In-One printer, 5 ink cartridges, CD tray, Power cord, Telephone cable Setup guide, Software and User's manual CD
PRINTER	
Print Resolution	Up to 9600 [1] x 2400 dpi
Print Engine	Inkjet, 5 Single Inks, 5-colour system with minimum 1pl droplet size, FINE print head & ChromaLife100+ system
Mono Document Print Speed	ESAT: Approx. 15.0 ipm [2]
Colour Document Print Speed	ESAT: Approx. 10.0 ipm [2]
Photo Print Speed	Borderless 10x15cm: Approx. 21 seconds (Standard) [3]
Two Sided Printing	Automatic 2-sided printing
Borderless Printing	Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm)
Direct Disc Printing	Yes (Software included)
Other Print Features	Normal size print, Borderless printing, Fit-to-Page print, Scaled print, Multiple page per sheet print, Booklet print, Poster print, Collate [4]
INKS	
Standard Ink Cartridges	5 separate ink tanks: PGI-550PGBK (Pigment Black) CLI-551BK (Black) CLI-551C (Cyan) CLI-551M (Magenta) CLI-551Y (Yellow)
Optional Ink Cartridges	Optional high yield XL ink tanks: PGI-550PGBK XL (Pigment Black) PGI-555PGBK XXL (Pigment Black) CLI-551BK XL (Black) CLI-551C XL (Cyan) CLI-551M XL (Magenta) CLI-551Y XL (Yellow)
Ink Tank Life - Document Printing	A4 Document [5] Pigment Black: 375 pages Pigment Black XL: 620 pages Pigment Black XXL: 1000 pages Black: 1645* pages Black XL: 5,000* pages Cyan: 332 pages Cyan XL: 700 pages Magenta: 333 pages Magenta XL: 670pages Yellow: 329 pages Yellow XL: 700pages * Estimated supplemental yield
PAPER SUPPORT	
Paper Type	Plain Paper, Envelopes, Photo Paper Pro Platinum (PT-101), Photo Paper Plus Glossy II (PP-201), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Glossy Photo Paper "Everyday Use" (GP-501), Matte Photo Paper (MP-101), High Resolution Paper (HR-101N), T-shirt Transfer (TR-301), Photo Stickers (PS-101)
Maximum Paper Input	Lower cassette: Max. 250 sheets (plain paper) Upper cassette: Max. 20 sheets (photo paper) Direct Disc Print Tray: 1 printable CD, DVD or Blu-ray
Paper Sizes	Lower cassette: A4, A5, B5, Letter, Legal, Envelopes (DL size or Commercial #10), 20x25cm Upper cassette: 10x15cm, 13x18cm
Paper Weight	Lower cassette: Plain paper: 64 - 105 g/m², Photo paper up to approx. 300 g/m² (Canon special media, PT-101) Upper cassette: Photo paper up to approx. 300 g/m² (Canon special media, PT-101)
FAX	
Standalone Fax	Yes
PC Fax	Win: Via Fax modem (in MFP)* Mac: n/a *1 location, B/W transmission only
Colour Fax	Yes
Transmission Speed Mono/colour	Mono: Approx. 3 sec./page (33.6kbps) (based on default setting using ITU-T No.1 chart) [6] Colour: Approx. 1 min/page (33.6kbps) (based on default setting using Canon Colour Fax Test Sheet) [6]
Modem Speed	Maximum 33.6kbps (Automatic fall back)
Compression Method Mono/colour	Mono: MH, MR, MMR Colour: JPEG
Memory transmission	Yes
Fax Resolution	Mono: 8pels/mm x 3.85 lines/mm (Standard), 8pels/mm x 7.7 lines/mm (Fine), 300dpi x 300dpi (Extra Fine) Colour: 200 x 200 dpi (Photo)
Greyscale / Colour Gradation	Mono: 256 levels Colour: 24 bit (full colour) (RGB each 8 bit)
Fax Memory	Up to 250 pages (Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1)
Coded Dials	Max. 100 locations

Group Dial	Max. 99 locations
Redial	Yes
FAX/TEL Auto Switch	Yes
Answering Machine Hook-up	Yes
Error correction mode (ECM)	Yes, ITU-T T.30 compatible
Telephone handset	No
Reports	Activity report, User's data list, Telephone number list, Memory list, Rejected number list, Caller history list
SCANNER	
Scanner Type	Flatbed, ADF and CIS colour scanner
Film Scanning	n/a
Scanner Resolution - Optical	Up to 2400 x 4800 dpi [7]
A4 Scan Speed	Approx. 14 seconds [8]
Colour Scanning Depth	Flatbed scan 48bit input / 24bit output (RGB each 16bit/8bit)
Halftone/Greyscale	Flatbed scan 16bit input / 8bit output
Compatibility	TWAIN / WIA
Effective Scanning Width	Flatbed: A4/LTR (216x297mm) ADF: A4,LTR, LGL
Text Recognition - OCR	Yes (My Image Garden)
COPIER	
Copy Speed Colour Document	sFCOT: Approx. 12 seconds [9] sESAT: Approx. 8.4 ipm [9]
Multiple Copy	1 to 99 pages
Zoom	25-400% , preset ratios
Copy functions & enhancements	Document Copying, Photo Copying, Fit-to-Page Copying, Borderless Copying
INTERFACE	
Display Type & Size	7.5cm colour TFT display with Dual Function Panel
Display languages	30 Languages Selectable: Japanese/English/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/ Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovak/ Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian
Interface Type - PC / Mac	Hi-Speed USB ('B' Type Port) Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP Bluetooth v2.0(Optional): Maximum Speed 1.44Mbps (JPEG, PNG only, OPP, BIP)
Interface Type - Non PC	USB flash memory ('A' Type Port) EPP-Android & Windows RT devices, iEPP-iPhone, iPod touch and iPad [10] Apple AirPrint PIXMA Cloud Link Google Cloud Print PictBridge (LAN & Wireless LAN)
Compatible Memory Cards	n/a
Card Direct Print Functions	n/a
Card Direct Print Enhancements	n/a
SOFTWARE	
Supported Operating System	Windows 8 (32 and 64-bit) Windows RT Windows 7 (32 and 64-bit) Windows Vista (32 and 64-bit) Windows XP (32-bit) Mac OS X v10.6.8 or later
Operating System Requirements	n/a
Software Included	My Image Garden with HD Movie Print [11], Scanning Utility, Easy-WebPrint EX [12] (download) and Quick Menu with CREATIVE PARK PREMIUM access
PHYSICAL FEATURES	
Automatic Document Feeder (ADF)	2-sided up to 35-pages
Dimensions (W x D x H)	Approx. 491 x 396 x 231 mm
Weight	Approx. 11.7 kg
Temperature Range	Operating environment: 5-35°C
Humidity	Operating humidity: 10-90%RH (no dew condensation)
Acoustic Noise Levels	Approx. 44.0 dB(A) [13]
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Standby: Approx. 1.0 W (USB connection to PC, scanning lamp off) Off: Approx. 0.4 W (USB connection to PC) Copying: Approx. 17 W [14]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/9600 inch
- [2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Some features available in Windows driver only.

- [5] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [6] Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions.
- [7] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted (maximum optical resolution for A4 scan is 600dpi).
- [8] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- [9] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- [10] Requires connection over Wi-Fi network and installation of free Canon application: EPP for Android, Windows RT and iEPP for iOS. Not available in certain countries or regions.
Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders.
- [11] Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- [12] Easy-WebPrint EX requires Internet Explorer 7 or later
- [13] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [14] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage; type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

For more information on ChromaLife100+ please visit www.canon-europe.com