

Model	PIXMA MX535
PRINTER SPECIFICATIONS	
Print Resolution	Up to 4800 ^[1] x 1200 dpi
Print Technology	2 FINE Cartridges (BK, CL) Inkjet system with 2pl (min.) ink droplet size ChromaLife100 inks
Mono Document Print Speed	Approx. 9.7 ipm ^[2]
Colour Document Print Speed	Approx. 5.5 ipm ^[2]
Photo Print Speed	Borderless 10x15cm: Approx. 46 seconds ^[3]
Borderless Printing	Yes (A4, LTR, 20x25cm, 13x18cm, 10x15cm)
Two Sided Printing	Manual
SCANNER SPECIFICATIONS	
Scanner Type	Flatbed, ADF and CIS colour scanner
Scanner Resolution (Optical)	Up to 1200 x 2400 dpi ^[4]
A4 Scan Speed	Approx. 15 seconds ^[5]
Maximum Document Size	Flatbed: A4, LTR (216x297mm) ADF: A4, LTR, LGL
OCR	Yes
Scanning Depth (Input / Output)	Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit
COPIER SPECIFICATIONS	
Copy Speed Colour Document	sFCOT: Approx. 21 seconds ^[6] sESAT: Approx. 4.7 ipm ^[6] sESAT ADF: Approx. 4.3 ipm ^[6]
Multiple Copy	1 to 99 pages
Copy zoom	25-400%
Copy functions	Document Copying, Photo Copying, Fit-to-Page Copying, Borderless Copying
Copy quality settings	Fast, Standard, High
FAX SPECIFICATIONS	
Fax Type	Super G3 / Colour
Fax Resolution	Mono: up to 300 x 300dpi Colour: 200 x 200 dpi
Fax Speed	Mono: approx. 3 sec. (33.6kbps) ^[7] Colour: approx. 1 min. (33.6kbps) ^[7]
Fax Memory	Up to 50 pages
COMPATIBLE INKS	
Standard Ink Cartridges	PG-540 (Black) CL-541 (Colour)
Optional XL Ink Cartridges	PG-540XL (Black XL) CL-541XL (Colour XL)
INK YIELDS	
BK (Pigment Black)	Standard: 180 document pages Optional XL: 600 document pages
CL (Colour - CMY)	Standard: 180 document pages Optional XL: 400 document pages
Testing standards	ISO/IEC 24711 for A4 colour document pages Values obtained by continuous printing * Estimated supplemental yield

PAPER SUPPORT	
Paper Types	Plain Paper Envelopes (DL, COM10) Canon Pro Platinum (PT-101) Canon Pro Luster (LU-101) Canon Plus Glossy II (PP-201) Canon Plus Semi-gloss (SG-201) Canon Glossy Everyday Use (GP-501) Canon Matte (MP-101) Canon High Resolution Paper (HR-101N) Canon Photo Stickers (PS-101) Canon T-Shirt Transfer (TR-301)
Maximum Paper Input	Max. 100 sheets of plain paper Max. 20 sheets of photo paper
Paper Sizes	A4, A5, B5, LTR, LGL, 20x25cm, 13x18cm, 10x15cm
Paper Weight	Plain paper: 64 - 105 g/m ² Canon photo paper up to 300 g/m ² (PT-101)
CONNECTIVITY	
Wired Connections	Hi-Speed USB
Wireless Connections	Wi-Fi IEEE802.11 b/g/n ^[8] Access Point Mode
Applications Support	PIXMA Printing Solutions app ^[9] Apple AirPrint Google Cloud Print
SOFTWARE	
Supported Operating System	Windows 8.1 / 8 / 7 / Vista SP1 & SP2 / XP SP3 32-bit Mac OS X v10.6.8 or later
Supported Mobile Systems	iOS (PIXMA Printing Solutions app, AirPrint) Android (PIXMA Printing Solutions app) Windows RT
Minimum System Requirements	Windows: Internet Explorer 8, internet connection or CD-ROM Mac: Safari 5 and internet connection Display: 1024 x 768 XGA
Software Included	MP Driver with Scanning Utility Quick Menu My Image Garden Easy-WebPrint EX (plug-in for IE8 or higher)
PHYSICAL FEATURES	
Display Type & Size	Full dot LCD display
Display languages	English, German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Japanese, Simplified Chinese, Traditional Chinese, Korean, Indonesian
Automatic Document Feeder	Up to 30-sheets
Dimensions (W x D x H)	458 x 385 x 200 mm
Weight	8.4kg
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Standby: Approx. 1.0 W (Wi-Fi connection to PC) Off: Approx. 0.3 W Copying: Approx. 18 W ^[10]
Acoustic Noise Levels	Approx. 43.0 dB(A) ^[11]
Operating Temperature	15-30°C
Operating Humidity	5-95%RH (no dew condensation)
Duty Cycle	up to 3,000 pages / month

Footnotes

^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch.

^[2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

^[4] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted.

^[5] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.

^[6] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.

^[7] Fax transmission speed is based on default setting using ITU-T No.1 chart for mono and Canon Colour Fax Test Sheet for colour. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

^[8] Wi-Fi frequency band: 2.4GHz, Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password.

^[9] PIXMA Printing Solutions is Canon's free application for smartphones and tablets. Not available in certain countries or regions.

^[10] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

^[11] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage; type of paper used etc. and does not take into account warming up time.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For more information see www.canon-europe.com/ink/yield

All brand and product names are trademarks of their respective companies.